

GOVERNMENT OF ANDHRA PRADESH

A B S T R A C T

Public Services – I & CAD Department –Departmental proceedings against Sri K.K.R.V.V. Satyanarayana Murthy, Deputy Executive Engineer, Q.C. (Retd.), Irrigation division, Eluru - Sanction under Rule 9 of A.P.R.P. Rules, 1980-Orders Issued.

=====

IRRIGATION & CAD (SERVICES.X-2) DEPARTMENT

G.O.Rt.No. 140

Dt:05.02.2010

O R D E R:

Whereas it has been brought to the notice of the Government that Sri K.K.R.V.V. Satyanarayana Murthy, Deputy Executive Engineer, Q.C. (Retd.) during his incumbency as Deputy Executive Engineer, Q.C. Irrigation Division, Eluru has committed certain irregularities in “improvements to drainage channel to Yerra tank of Vedanthapuram village Koyyalagudem mandal in Irrigation Division Eluru. Due to faulty / sub-standard execution of the work, the drop cum regulator constructed across the scour sluice channel / drainage channel collapsed, causing loss to the Government. Therefore the Government decided that there exists a prima facie case to initiate departmental action against Sri K.K.R.V.V. Satyanarayana Murthy, Deputy Executive Engineer, Q.C. (Retd.)

2. Now therefore sanction is accorded under sub clause (i) under clause (b) of the Sub-rule (2) of Rule 9 of A. P. Revised Pension Rules, 1980 to initiate Departmental proceedings against the said Sri K.K.R.V.V. Satyanarayana Murthy, Deputy Executive Engineer, Q.C. (Retd.)

3. It is further directed that the said Departmental proceeding shall be conducted in accordance with the procedure laid down in Rule 20 of Andhra Pradesh Civil Services (CC & A) Rules, 1991.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri K.K.R.V.V. Satyanarayana Murthy,
Deputy Executive Engineer, Q.C. (Retd.)
through the Engineer-In-Chief (AW)
Irrigation & CAD Department, Hyderabad.

Copy to:
The Engineer-In-Chief (AW)
Irrigation & CAD Department, Hyderabad.

//FORWARDED: : BY ORDER//

SECTION OFFICER